

DOWNLOAD READY

Perfect for:

- Telecom & datacom
- Asset management
- Property management Manufacturing





Customizable Industrial Handheld Labelling System





Industrial look, Professional features

Professional features simplify your labelling jobs



Great for On-the-Go use

- · Light weight, vertical handheld design
- · Rubber impact guards
- · Adjustable wrist/neck strap
- · Hard-sided carry case
- · 6 "AA" batteries included
- · Easy one handed operation


Commercial/Industrial Users Love

- Download custom templates (with a database),
 and graphics to internal, non-volatile memory
 for printing in the field
- · Rotated, vertical, and horizontal printing
- · Makes labels in strips, or one at a time
- · Built-in telecon/datacom label templates
- Built-in alpha-numeric sequencing
- Single-step operation to change label types no retyping necessary
- · Large built-in library of industrial and of fice symbols
- · Prints scannable bar codes in seconds
- Quick-swap interchangeable tape cassettes in a wide variety of tape sizes, types and colors

Handles your most demanding labelling challenges

Telecommunications

- Electrical panels
- · Patch panels
- · Circuit boards
- Wiring & cabling applications
- Faceplates
- Truck bins
- · Company tools



TYPE 1 ENCLOSURE SERIES G3
MAINS: 100 Amp. Max. 120/240 VAC 1 Ph. 3W.
CAUTION: USE OMLY NO. 2 THROUGH NO.7 CIRCUIT POSITIONS. OO NOT
REMOVET TWISTOUTS NUMBERED 1 OR 8, REMOVET TWISTOUTS ONLY
WHEN CIRCUITS ARE INSTALLED. CLOSE UNUSED CIRCUIT BREAKERS
OPENINGS WITH FILLER PLATES.



Asset & Property Management

- · Bar code labels
- Serial number labels
- Sequential alpha/numeric labels
- · Field recording devices
- Shelf/rack identification
- Truck/van keys



Manufacturing

- · Safety/warning labels
- Servicing instructions
- · Small shelf signage
- Utility cabinets
- Warranty information



Professional labelling from an industrial labeller.

Download Ready

PRO

Rubber impact guards and carry case

Built-in telecom/datacom templates and symbols

Rotated, vertical and horizontal printing

Multi-line printing (up to 7 lines)

Scannable industry standard bar codes

Repeat printing up to 99 copies

Auto alpha/numeric sequential label printing

Built-in memory functions

Built-in tape cutter

Flexible ID and Extra Strength Adhesive Tape included

Transfer data & designs from your PC to print custom labels anytime, anywhere!

Store in your PT-1650's flash memory:

- Database (Access®, Excel®, and others)
- Logos, symbols and graphics
- Customized label templates

Here's how the PT-1650 download feature works:



Prepare data, graphics and label templates from your PC.



Transfer the data, via USB, to your PT-1650's memory.



Disconnect the PT-1650 from your PC.



Create & print custom labels 'on the go'.

Note: Download feature for customization only. Does not operate as a computer label printer.

PT-1650 Specifications

PRINTING FEATURES

- Prints durable laminated labels (up to 1" (24mm) wide)
- · Prints rotated text/graphics for easy cable/wire wrapping
- Prints up to 7 lines or up to 21 rotated characters, depending on width of tape
- Includes 9 industry standard bar code protocols
- · Prints text in 8 sizes and 4 character widths
- · Auto sizing, sequential alpha/numeric and repeat printing
- Automatic cable/wire and patch panel label generation
- 180 dpi printing

LABEL-DESIGN FEATURES

- 10 P-touch function keys for downloading and storing customized label templates (with a database) and graphics
- Block formatting for easy entry of patch panel data
- Built-in telecom templates for patch panels, cables, wires and faceplates
- · A full selection of telecom/datacom industry symbols
- · Special formatting features including alignment and framing

EASE-OF-USE FEATURES

- Easy grip, vertical style machine
- Lightweight, less than 700 g.
- ABCD/number keyboard
- LCD display: 15 characters x 2 lines
- Uses interchangeable TZ tape cassettes; allows you to switch tape sizes, color and adhesive types in seconds
- Memory to store frequently used label designs created directly from the PT-1650 keyboard
- Industrial tape cutter

CARTON CONTENTS

- PT-1650 Labelling System
- Flexible ID Laminated Tape
- Extra Strength Adhesive Laminated Tape
- User manual
- 6 AA batteries
- · Wrist/neck strap
- Protective carrying case
- Rubber impact guards
- CD containing P-touch Editor v3.2 software
- USB cable

SPECIFICATIONS

- Powered by 6 alkaline AA batteries (included) or optional AC adapter (not included)
- One year limited warranty
- Unit dimensions: 117mm x 239mm x 81mm (w, h, d)
- Unit weight: 610 g. without batteries

quirements
IBM PC/AT or compatible
Microsoft® Windows® 98, 98 SE, Me, 2000 Professional, XP Professional or XP Home Edition
Pentium 166 MHz or higher (XP Professional and XP Home Edition: Pentium 300 MHz or higher)
At least 64 MB (XP Professional and XP Home Edition: 128 MB or higher)
At least 20 MB
(100 MB for full installation)
800 x 600 dpi (SVGA)/High Color or higher
Available
Available

OPTIONAL ACCESSORIES *

- All TZ tapes
- AC adapter (AD-60)
- * Requires additional purchase



The right tape for the job.

Better performing labels by design ...


P-touch TZ Laminated tapes are legendary for their durability and crisp appearance even when subjected to temperatures from -30 to 100 °C, water, grease, grime, and industrial solvents like acetone. Our patented lamination process – where the text and graphics are printed under a clear protective laminate – is a critical factor in producing labels that remain clearly readable for years, even in the harshest environments, and resist abrasion and fading.

All available in interchangeable, no-waste TZ cassettes ...

With the PT-1650, you can produce durable laminated labels in a variety of colors, in sizes from 1/4" (6mm) to 1" (24mm) wide, and with a variety of adhesives to meet your specific labelling challenges. Changing colors, sizes and adhesive types is as quick and easy as popping in a different TZ tape cassette. It only takes seconds, and there's no waste – the cassette you replace can be used again and again, even in other TZ-compatible labellers that accept the same size, until the tape in that cassette is depleted.

General Tape Features

 Laminated construction for durability



 Single-piece cartridges



• Over 8m long - Makes 100 three-inch labels



Tape Suggestions:

	Flat Su	rface	Large Curv (more than 8	red Surface mm diameter)		ved Surface mm diameter)
	First Quarter Reports A -	RECEPTION DESK	32756 KEITH RIG	- SP	Mici	24.014 24.014 24.014 24.014 24.014 24.014 24.01 24.01
	smooth	textured	smooth	textured	smooth	textured
Standard Laminated Tapes	•	*	Δ	*	*	*
Extra Strength Adhesive Tapes	•		•	•	*	*
Flexible ID Tapes	_	*	\triangle	*		•
Tamper Evident Laminated Tape	•	*	_	*	*	*

suggested

not suggested

Special Applications: For wrapping or flagging cylindrical shaped items, such as wires and cables, we suggest TZFX Flexible ID Laminated Tape. For applying labels to fabric, we suggest TZFA Fabric Iron-on Tape.

Standard Adhesive Tape - Laminated

For Flat, Smooth Surfaces, Indoors and Outdoors

Perfect for labeling:

- File folders and binders Name badges
- Small signage



The widest selection of colors and sizes for everyday home, home/office and general business office needs.

Our standard adhesive tapes are designed for flat, smooth surfaces, and resist water, grease or grime - the laminated surface wipes clean - and fading and abrasion. They also withstand temperatures from -30 to 100 °C and can be used for indoor and outdoor applications.

8m long, unless	1/4 "	3/8 "	1/2 "	3/4 "	1"
otherwise noted	17-7	0,0	.,,_	0,4	•
BLACK ON WHITE	-	V	✓	1	1
BLACK ON CLEAR	1	1	1	V	V
BLACK ON CLEAR MATTE			V	V	
BLACK ON RED				1	4
BLACK ON YELLOW			V	1	V
BLACK ON GREEN			V		
BLACK ON BLUE			V		
BLACK ON FL. ORANGE*				V	V
WHITE ON BLACK	4	V	1	V	V
WHITE ON OLEAR			1		V
WHITE ON BLUE				V	
RED ON WHITE		V	1	V	V
BLUE ON WHITE		V	V	V	V
GOLD ON BLACK			V	V	1
				*5m	long

Extra Strength Adhesive Tape - Laminated

For Tough Applications

Perfect for labelling:

- · Harsh environments
- · A variety of plastics
- · Painted surfaces
- Textured surfaces

CAUTION



Produce labels with stronger adhesive strength than our standard laminated labels.

P-touch Extra Strength Adhesive Tapes are an exciting breakthrough in labelling your most challenging surfaces. Their extraordinary adhesive properties - up to twice as strong as our standard laminated labels - make them ideal for the toughest labelling tasks you face.

8m long	1/4 "	3/8 "	1/2 "	3/4 "	1"
BLACK ON WHITE	V	V	V	V	V
BLACK ON CLEAR			V	1	V
BLACK ON YELLOW			4	~	V
BLACK ON MATTE SILVER				1	4

Flexible ID Tape - Laminated

Special Adhesive For Bending, Wrapping & Flagging

Perfect for labelling:

- · Cable & wire*
- · Vials. beakers & test tubes
- · Pipes and other round surfaces
- · Electrical fittings and connectors*

444444							
<<<<<<							
	⋖	4	4	4	4	4	4







BLACK ON WHITE

Tamper Evident Tape - Laminated

Security Pattern Appears If Removed

Perfect for labelling:

- Computers / electronic devices
- · Equipment after calibration
- Furniture & other company property
- · Items sealed for security



other International Corporation siness Machine Group

8m long

For P-touch information. call 1-877-BROTHER (1-877-276-8437)





© 2004 Brother International Corporation 1, rue Hôtel de Ville, Dollard-des-Ormeaux, Québec, H9B 3H6. All registered trademarks referenced herein are the property of their respective companies. All specifications subject to change without notice Printed in Canada. Brother is a registered trade mark of Brother Ltd. Negoya, Japan