Affordable ECR to fit your business needs


The CASIO 130CR electronic cash register made for small to medium sized retail stores with an ergonomic case and easy-to-use advanced functions and security features.



Highlighted Features

Powerful department functions with large key tops

The 130CR features four departments. Each department has a large, double sized key and powerful, presettable functions such as "unit prices up to 6 digits", "single item sales status", "high amount limit", and negative department".



100 PLUs

100 items can be programmed into the unit price for quick and accurate registration. Linking to the department makes it possible to categorize selling items.

Rotary mode switch

Large rotary mode switch provides quick start up and switching to other operation modes.



Simple TAX calculation

Add-in and Add-on tax system makes the whole tax operation simple and fast. Taxable status can be easily assigned to each department and PLUs.

Instant switchover to daylight-saving time

Time can be switched over to the daylight-saving time, and vice versa.

Calculator mode

The calculator mode allows the 130CR to become a calculator. Simply turn the mode switch to "CAL" and you can use it as calculator.

Three ways to tender payment


Cash, charge and check payment media can be used, providing shoppers with the flexibility to meet their individual life styles.

Four types of reports

Four different types of reports are available to provide information on the sales. Financial report for a quick check of your sales during business hours, Periodic report for a specific period of sales, PLU report for 100 items and general control report for the department and all other functions totalizers.

Selection of Model

- Model with small-sized drawer (5 coins/3 notes compartments)
- Model with medium-sized drawer (8 coins/4 notes compartments)



X(Read) report is the same as Z(reset) except*1 and *2.

Specifications

| * | | |
|-------------------|-----------------------|---|
| Input method | | Numeric ten-key (buffer memory for 8 keys/2 key |
| | | roll-over) |
| No.of departments | | 4 |
| No.of PLUs | | 100 |
| Memory backup | Backup method | AA size manganese battery x 3* |
| | Backup period | Approx. 1 year |
| Display | | 7-segment x 8 digits |
| Printer | Printing method | Drum-serial printing |
| | Paper width | ±0.5mm |
| Power consumption | Input AC 120V | Maximum 0.1 A |
| | Input AC 230V | Maximum 0.05 A |
| Environment | Operating temperature | 0 to 40°C |
| | Humidity | 10 to 90%RH |
| Dimensions | With small drawer | 330 (W) x 360 (D) x 203 (H) mm |
| | With medium drawer | 410 (W) x 450 (D) x 250 (H) mm |
| Weight | | Approx. 4.1Kg/with small drawer, 9.0Kg/with medium drawer |

*This package does not include batteries. Specifications and design are subject to change without notice